Spark® for 2 - 60

One-of-a-kind fun.





Rotax® 900 ACE™ - 60

Spark® hull

Lightweight and playful platform

CAPACITY

| Rider capacity | 88 |
|--------------------------|-----------------|
| Weight capacity | 160 kg |
| Fuel capacity | 30 L |
| Glove box | 2.68 L |
| Front bin | 42 L (Optional) |
| Storage capacity - Total | 44.7 L* |

DIMENSIONS

| Length (bumper to bumper) | 283 cm |
|---------------------------|--------|
| Width | 117 cm |
| Height | 106 cm |

HULL

| Туре | Spark® hull | |
|----------|-------------|--|
| Material | Polytec | |

OTHER FEATURES

- · Slim seat
- Seat strap
- iBR® Intelligent Brake & Reverse
- Front storage compartment (optional)
- Watertight phone compartment
- LinQ™ attachment system
 LinQ™ Lite attachment system
 BRP Audio Portable system (optional)
- Wetgrip footboard
- Handle Grips with palm rest
- Tow hook

| ROTAX ENGINE | 900 ACE™ - 60 |
|-----------------|-------------------------------------|
| Displacement | 899 cc |
| Power (hp) | 60 hp |
| Intake system | Naturally aspirated |
| Cooling | Closed-Loop Cooling System (CLCS) |
| Reverse system | Electronic iBR [®] ** |
| Starter | Electric |
| Fuel type | 95 octane |
| Throttle system | iTC™ (Intelligent Throttle Control) |
| Exhaust System | D-Sea-Bel™ system |
| | |

GAUGE

| Type of gauge | 4.5" digital display | |
|-------------------|---|---|
| Main functions | SpeedometerRPM | Fuel autonomyVehicle hours |
| iTC System - mode | • ECO Mode | |

WEIGHT

| Dry weight (oil, coolant, no fuel) | 194 kg |
|------------------------------------|--------|
| Power to weight ratio (HP / Kg) | 0.31 |

WARRANTY

BRP limited warranty covers the watercraft for two years.

^{*}Total including the optional front bin **Electronic brake, neutral and reverse.

REC LITE 2026

KEY FEATURES

- Rotax® 900 ACE™ 60
- Spark® hull
- Lightweight and playful platform
- Able to tow with most mid-size cars
- Up to 2 passengers
- Watertight phone compartment
- iBR° Intelligent Brake & Reverse
- LinQ[™] and LinQ[™] Lite attachment system







Slim Seat
Designed to improve freedom of movement while riding.



LinQ™ Lite Integration
Quickly accessible and located at 5 points of the unit.

The full array of Sea-Doo LinQ lite accessories can be integrated.



ROTAX® 900 ACE™- 60 Fuel-efficient, compact and lightweight Rotax® engine.



BRP Audio - Portable System (optional)
An optional BRP Audio portable system is also available for an extra dose of entertainment.
The BRP audio-portable system provides higher quality sound on and off the water featuring Concert, Ride and Home mode.
Equiped with a heavy duty mounting bracket.



Front Storage and Watertight Phone Compartment

A front storage for easier access to bring more gear on board. Easily secure cell phone and valuable items with the watertight phone compartment.



Spark® for 2 - 90

One-of-a-kind fun.



Dazzling Blue / Vapor Blue

Rotax® 900 ACE™ - 90

SPARK® hull

Lightweight and playful platform

CAPACITY

| 88 |
|---------|
| 160 kg |
| 30 L |
| 2.68 L |
| 42 L |
| 44.7 L* |
| |

DIMENSIONS

| Length (bumper to bumper) | 283 cm |
|---------------------------|--------|
| Width | 117 cm |
| Height | 106 cm |

HULL

| Туре | SPARK® hull | |
|----------|-------------|--|
| Material | Polytec | |

OTHER FEATURES

- · Slim seat
- · Seat strap
- iBR® Intelligent Brake & Reverse
 VTS™ (Variable Trim System)
- RF D.E.S.S. Key
- Front storage compartmentWatertight phone compartment
- LinQ[™] attachment system
 LinQ[™] Lite attachment system
- · BRP Audio Portable system (optional)
- Wetgrip footboard
- · Handle Grips with palm rest
- Tow hook

| ROTAX ENGINE | 900 ACE™- 90 |
|-----------------|-------------------------------------|
| Displacement | 899 cc |
| Power (hp) | 90 hp |
| Intake system | Naturally aspirated |
| Cooling | Closed-Loop Cooling System (CLCS) |
| Reverse system | Electronic iBR® ** |
| Starter | Electric |
| Fuel type | 95 octane |
| Throttle system | iTC™ (Intelligent Throttle Control) |
| Exhaust System | D-Sea-Bel™ system |
| | |

GAUGE

| Type of gauge | 4.5" digital display | |
|-------------------|---|--|
| Main functions | Speedometer RPM Clock | VTS™ Fuel autonomy Vehicle hours |
| iTC System - mode | Sport modeECO Mode | |

WEIGHT

| Dry weight (oil, coolant, no fuel) | 196 kg |
|------------------------------------|--------|
| Power to weight ratio (HP / Kg) | 0.46 |

WARRANTY

BRP limited warranty covers the watercraft for two years.



^{*}Total including the front bin
**Electronic brake, neutral and reverse.

REC LITE 2026

KEY FEATURES

- Rotax® 900 ACE™ 90
- SPARK® hull
- Lightweight and playful platform
- Able to tow with most mid-size cars
- Up to 2 passengers
- Watertight phone compartment
- iBR° Intelligent Brake & Reverse
- Front storage bin kit
- Boarding step
- RF D.E.S.S.™ key
- VTS™ Variable Trim System
- LinQ[™] and LinQ[™] Lite attachment system







Slim Seat

Designed to improve freedom of movement while riding.



LinQ Lite Integration

Quickly accessible and located at 7 points of the unit.

The full array of Sea-Doo LinQ lite accessories can be integrated.



ROTAX® 900 ACE™- 90

Fuel-efficient, compact and lightweight Rotax®



BRP Audio - Portable System (optional)

An optional BRP Audio portable system is also available for an extra dose of entertainment. The BRP audio-portable system provides higher quality sound on and off the water featuring Concert, Ride and Home mode. Equiped with a heavy duty mounting bracket.



Front Storage and Watertight Phone Compartment

A front storage for easier access to bring more gear on board. Easily secure cell phone and valuable items with the watertight phone compartment.

