

# 2007 LUXURY PERFORMANCE

# GTX<sup>+</sup>



## TECHNICAL SPECIFICATIONS

### DIMENSIONS

Length	130.3 in. (331.0cm)
Width	48.0 in. (122.0cm)
Height	47.2 in. (120.0cm)
Weight (dry)	795 lbs. (361Kg)
Rider capacity	1, 2 or 3
Fuel capacity	15.9 US gallons (60L)
Storage capacity	33.0 US gallons (125L)

### ENGINE

Type	155 hp Rotax® 4-TEC® engine
Intake system	Naturally aspirated with 52mm throttle body
Bore x stroke	100mm x 63.4mm
Displacement	1494cc
Compression ratio	10.6:1
Cooling	Closed-loop cooling system
Fuel type	Regular unleaded

### DRIVE UNIT

Propulsion system	Sea-Doo® Direct Drive
Jet pump	Composite/aluminum, axial flow, single stage, large hub with 10-vane stator
Transmission	Direct drive, forward/neutral/reverse
Impeller	Stainless steel

### ELECTRICAL

Ignition	Digital inductive
Starter	Electric
Battery	12 volt

### HULL

Type	Modified-V, composite
Color	Cosmo Blue/White

### EQUIPMENT

Speedometer (Information Center)	STD
Tachometer (Information Center)	STD
Fuel gauge (Information Center)	STD
Information Center (18 functions)	STD
D.E.S.S.™	STD
O.P.A.S.™ system	STD
Sea-Doo Learning Key™ (LK1 and LK2)	STD
Mirrors	STD
Reboarding ladder	STD
Double density comfort hand grips	STD
New wide handlebars	STD
Reboarding deck pad	STD
New, watertight, removable storage bin	STD
New touring seats	STD

## STANDARD FEATURES

### ENGINE

1494cc four-stroke, Rotax SOHC with four valves per cylinder	155 hp Rotax 4-TEC engine provides reliable performance in fresh or salt water, increased torque at low RPM, optimized power at all RPM levels and throttle positions.
Multi-port fuel injection	Better control of exhaust emission and power at all RPM ranges to reduce emissions and reduce fuel consumption.
Sea-Doo Learning Key™	LK1 – Limits engine RPM and top speed to about 35 mph. LK2 – Limits engine RMP and top speed to about 45 mph. Programmable by dealer.
Chokeless starting	Simple, user-friendly starting.
Closed-loop cooling system	Ensures the proper operating temperature at all speeds and improves corrosion durability.
Water/air separator	Provides maximum airflow to engine and reduces water intrusion.
Watertight digital ignition	Provides optimal energy for a consistent spark, ensuring maximum performance.
RPM limiter	Protects engine from over-revving.
Warning device	Warns operator of engine and exhaust overheating, engine management and system failure.
Handlebar-mounted start/stop button	Engine starts and stops with single, user-friendly control button.
Tips Over Protection System (T.O.P.S.™)	Protects engine in case of turn over.

### PROPULSION SYSTEM

Sea-Doo Direct Drive propulsion system	Delivers optimum performance with the Rotax engine.
Forward/neutral/reverse	Improves maneuverability especially around docks and trailer ramps.
Composite stator vanes	Handle the high-performance engine without erosion.
Replaceable urethane wear ring	Provides long impeller life, less maintenance and maximum thrust.
Dual automatic vacuum siphon pumps	Continuously remove water entering the engine compartment.
Large diameter drive shaft with crowned spline design	Maintains engine and pump alignment at all operating speeds.
Stainless steel impeller	Delivers improved acceleration, higher top speed and less cavitation.

### HULL AND COMPONENTS

Modified-V design	Ensures a smooth and comfortable ride in a variety of water conditions, and greater maneuverability.
FRP construction	Strong, light and easy to maintain.
Sponsons	For improved handling.
D-Sea-Bel™ System	Sound reduction system for a quieter ride.
Bumpers	Help protect watercraft from damage while tied to a dock or another craft.
Bow and stern eyes	Designed for towing or securing the craft to a trailer or dock.
Temporary docking loops	Provide access for quick tie-up.

### HULL AND COMPONENTS CONTINUED

Carpeted footwells and deck pads	Offer extra comfort, non-skid surface and great looks.
New, wide handlebars	More ergonomic for ease of use and comfort.
Double density comfort hand grips	Provide extreme hand comfort and great looks.
Reboarding platform	For easy and comfortable mounting of the craft in deep water.
Floating safety lanyard	Stops engine in manual and emergency situations.
Seat strap	Aids in reboarding from water and as a passenger handhold.
Grab handle	For easy reboarding and as a passenger handhold.
Built-in reboarding step	Grooved fold-down for easy reboarding.
Front and rear touring seats	Ergonomically designed for comfort and great looks providing seating for three.
Watertight, removable storage bin	Provides dry storage for luggage and necessities with easy access.
Extra-large storage compartment(s)	Abundant room for supplies on extended cruises.
Glove compartment	Great place to store smaller items.
Ski eye	Improved for easy and secure attachment of ski rope.
Extended range fuel tank (15.9 US gal)	Provides maximum cruising and exploring range.
Elevated fuel filler	Easy access and prevents water intrusion while refueling.
Multifunction Digital Information Center	Reports 18 key operating functions: Fuel Level, Low Fuel Level, Low Oil Pressure, Low Voltage, Hi Voltage, Tachometer, Overheat, Hour Meter, Maintenance Info, Speedometer, Compass, Error Codes, Check Engine, Lake Temperature, Sensor Check, Key (battery protection), Key (wrong key), L-Key.
Dual drain plugs	Screw type design with built-in retainer for easy removal and installation.
Digitally Encoded Security System (D.E.S.S.™)	Industry's first digitally encoded theft-deterrent system.
External exhaust cooling flush attachment	Easily accessible and fits a common garden hose.
Adjustable mirrors	Increase field of view.
Foam flotation	Ride with security and peace of mind. Meets or exceeds USCG standards.
Operator's guide, instructional video and booklet	Informs you of boating regulations, care, maintenance and operating safety features.
Off-Power Assisted Steering (O.P.A.S.™)	Assists steering during off-power, as well as off-throttle situations.

### WARRANTY

BRP limited warranty covers the watercraft for one year.

